



QLABTICS

PlateMixer Microplate Mixers



Register in www.qlabtics.com
then scan me



Qlaltics LLC
CHICAGO RIDGE, IL 60415

PlateMixer, comes with a free QR code for equipment maintenance and calibration in labs. Qlaltics provides a range of cloud-based solutions to manufacturers, service providers, and lab directors to improve equipment management, reduce downtime, and increase customer satisfaction. Their solutions include equipment tracking and maintenance, calibration management, remote equipment monitoring, engineer management, customer follow-up, asset tracking, live device usage tracking, cloud-based reporting, and document management. Visit their website at www.qlabtics.com.

PlateMixer

Microplate Mixers



PlateMixer by Qlaltics is a microplate mixers designed for holding single microplates. Its compact shape, occupies minimal bench space, making storage and handling more convenient. PlateMixer is widely used in life sciences, including microbiology, cell and molecular biology, immunology, and biotechnology, to facilitate various applications such as mixing, re-suspending, and washing of biological samples in microplates.

Features:

- + High efficiency BLDC motor.
- + Small and compact design requires minimum bench top space.
- + Speed adjustable within 0-1500rpm using speed control knob.
- + Designed for mixing of single or double micro plates in orbital motion.
- + Wide range of accessories are available.
- + The standard pack includes a single micro plate clamp.

Website: us.qlaltics.com
Email: info@qlaltics.co

QLALTICS LLC
10500 PARKSIDE AVE
APT 9 CHICAGO RIDGE,
IL 60415 USA


Register in www.qlaltics.com
then scan me



Qlaltics LLC
CHICAGO RIDGE, IL 60415

PlateMixer

Microplate Mixers



Specifications	PM-001
Shaking movement	Orbital
Orbital diameter	4.5mm
Max. shaking weight(with accessory)	0.5kg
Motor type	Brushless DC motor
Motor rating input	18W
Motor rating output	10W
Speed range	Single microplate: 0-1500rpm
Speed display	Scale
Voltage	100-240V,50/60Hz
Power	20W
Dimension	260×150×80mm
Weight	3kg
Permissible ambienttemperature and humidity	5-40°C,80%RH
Protection class	IP21

*2 years warranty.

** free of charge, unique software of Qlabtics for managing device maintenance and troubleshooting.

Website: us.qlabtics.com
 Email: info@qlabtics.co

QLABTICS LLC
 10500 PARKSIDE AVE
 APT 9 CHICAGO RIDGE,
 IL 60415 USA

Register in www.qlabtics.com
 then scan me



Qlabtics LLC
 CHICAGO RIDGE, IL 60415